



# COPPERFIX - 301

• Class C1 • Type I Adhesive • Colour : Grey

Tile Fixing Adhesive For Normal Application


**Clipper CopperFix - 301** is a normal application polymer modified cementitious grey coloured tile adhesive to fix ceramic tiles. It gives good coverage and better adhesion for long-lasting performance.

- High Porosity Ceramic Tiles on Wall & Floor • Vitrified Tiles on the Floor
- New Tiling in Internal Areas



**Class C1** : As per EN 12004 Standards and ISO 13007 Standards.  
**Type I Adhesive** : As per IS 15477 : 2019 Standards.

Coverage	Pack Size	Shelf Life
~50-60 sq.ft / 20 kg bag at 3 mm bed thickness.	20 kg & 50 kg	1 year



# SILVERFIX - 501

• Class C1 • Type I Adhesive • Colour : Grey

General Purpose Tile Fixing Adhesive

**Clipper SilverFix-501** is a general purpose polymer modified cementitious grey coloured tile adhesive to fix high porosity ceramic tiles on internal floor and wall. It is ready to use tile fixing adhesive and needs no curing.

- High Porosity Tiles on Wall & Floor • Vitrified Tiles on the Floor
- New Tiling in Internal Areas



**Class C1** : As per EN 12004 Standards and ISO 13007 Standards.  
**Type I Adhesive** : As per IS 15477 : 2019 Standards.

Coverage	Pack Size	Shelf Life
~50-60 sq.ft / 20 kg bag at 3 mm bed thickness.	20 kg & 50 kg	1 year



# GOLDFIX - 601

• Class C2 • Type II Adhesive • Colour : Grey

Special Adhesive For Tile-on-Tile Application

**Clipper GoldFix-601** is a polymer modified tile adhesive to fix low-porosity tiles on the floor and tile-on-tile application in internal areas. It forms a waterproof barrier between two surfaces and has excellent grab properties.

- Low Porosity Tiles on Floor • Tile-on-Tile Application • For Internal Areas



**Class C2** : As per EN 12004 Standards and ISO 13007 Standards.  
**Type II Adhesive** : As per IS 15477 : 2019 Standards.

Coverage	Pack Size	Shelf Life
~50-60 sq.ft / 20 kg bag at 3 mm bed thickness.	20 kg & 50 kg	1 year



# GOLDFIX PLUS - 611

• Class C2T • Type II Adhesive • Colour : White

Adhesive For Tile-on-Tile Application & Italian Floor

**Clipper GoldFix Plus-611** is a polymer modified, white cement based tile adhesive to fix low-porosity tiles on the floor and tile-on-tile application in internal areas. It is also commonly used for Italian Floors in replacement of white cement.

- Low Porosity Tiles on Floor • Tile-on-Tile Application • For Internal Areas
- For Italian Floor



**Class C2T** : As per EN 12004 Standards and ISO 13007 Standards.  
**Type II Adhesive** : As per IS 15477 : 2019 Standards.

Coverage	Pack Size	Shelf Life
~50-60 sq.ft / 20 kg bag at 3 mm bed thickness.	20 kg & 50 kg	1 year



# DIAMONDFIX - 701

• Class C2TE • Type III Adhesive • Colour : Grey

High Performance Adhesive For All Tiles & Stone

**Clipper DiamondFix-701** is a high performance tile adhesive to fix high low-porosity tiles on wall and floor and natural stone on the floor. It is suitable to be used in both internal and external areas under dry and wet conditions.

- Low Porosity Tiles on Wall & Floor • Natural Stone on the Floor
- Large Format Tiles & Stone • For All Internal & External Applications



**Class C2TE** : As per EN 12004 Standards and ISO 13007 Standards.  
**Type III Adhesive** : As per IS 15477 : 2019 Standards.

Coverage	Pack Size	Shelf Life
~50-60 sq.ft / 20 kg bag at 3 mm bed thickness.	20 kg & 50 kg	1 year




# RUBYFIX - 801

• Class C2TES1 • Type III Adhesive • Colour : White

Multipurpose White Adhesive For All Tiles & Stone

**Clipper RubyFix - 801** is a high performance white tile adhesive to fix all tiles and natural stone of all sizes in internal and external areas under dry and wet conditions. It is also suitable to be used in high bed thickness application like window jambs and door framing.

- Fix Natural Stone & Tiles of All Sizes • Window Framing & Wall Cladding
- For All Internal & External Applications • For New Construction & Renovation



**Class C2TES1** : As per EN 12004 Standards and ISO 13007 Standards.  
**Type III Adhesive** : As per IS 15477 : 2019 Standards.

Coverage	Pack Size	Shelf Life
~50-60 sq.ft / 20 kg bag at 3 mm bed thickness.	20 kg & 50 kg	1 year



# TITANIUMFIX - 1001

• Class D2TE • Type IV Adhesive • Colour : Off White

Single Component PU Adhesive

**Clipper TitaniumFix - 1001** is a high strength, pre-blended, single component, polyurethane (PU) based ready-to-use adhesive for fixing Ceramic, Vitrified, Glass Mosaic Tile & Natural Stone on diverse surfaces like plywood, drywall boards & other dry surfaces including metal.

- Fixing Tiles & Stone on Diverse Surfaces Like Plywood, Drywall
- On Almost All Dry Surfaces Including Metal • For Internal & External Areas



**Class D2TE** : As per EN 12004 Standards and ISO 13007 Standards.  
**Type IV Adhesive** : As per IS 15477 : 2019 Standards.

Coverage	Pack Size	Shelf Life
~10-12 sq.ft / 4 kg pack at 3 mm bed thickness.	4 kg	1 year


# BLOCKFIX - 401

• Colour : Grey

Block Jointing Mortar

**Clipper BlockFix - 401** is a high performance thinset mortar made from cement, sand and polymer modified additives specially formulated to provide high bond strength with thinner joints. It is used for the quick preparation of masonry wall by jointing all types of Blocks.

- Jointing Blocks Like AAC, Fly Ash Bricks, Concrete Blocks
- Jointing Cement Window & Door Frames • Garden & Boundary Walls



Coverage	Pack Size	Shelf Life
~100-120 sq.ft / 40 kg bag at 4 mm bed thickness.	40 kg	1 year


# TILE JOINT FILLER

• Available in Multiple Attractive Colours

Colourful Tile Grout

**Clipper Tile Joint Filler** is a polymer modified cementitious tile joint filler adhesive for grouting all kinds of tiles and stone in internal and external areas. It effectively fills the gaps and resists dust and water to seep into the back. It is available in multiple attractive colour options.

- Grouting of All Kinds of Tiles & Stone on Wall & Floor • For Tiles Joints of Width 1-6 mm
- In Internal & External Areas



Coverage	Pack Size	Shelf Life
Varies as per the size of the tile and width of the joint.	1 kg	1 year

# TILE GROUT MIX

• Colour : Milky White

Admixture To Enhance Grout Strength

**Clipper Tile Grout Mix** is a blend of polymeric emulsion to be added in Clipper Tile Joint Filler to enhance the strength and durability of the grout when applied to fill joints of tiles and stone. It imparts flexibility & strength to the grout to fill wider joints.

- Add with Clipper Tile Joint Filler • In Internal & External Areas
- Fill Wider Joints Between Tile & Stone • Wet & Dry Conditions on Floor & Wall



Dosage	Pack Size	Shelf Life
100 ml for 1 kg of grout.	100 ml	1 year


# CLIPPOXY

• Available in Multiple Attractive Colours

Epoxy Based Colourful Tile Grout

**Clipper Clippoxy** is a three-component epoxy based ceramic tile and stone joint filler with chemical resistant properties. It is used as a high performance epoxy adhesive for grouting in high traffic areas like hospitals, factories, garage etc.

- Grouting in Chemical Industries, High Traffic Areas, Wet Areas, Garage
- For Tile Joints of Width 2-12 mm • On Wall & Floor in Internal & External Areas



Form	Pack Size	Shelf Life
Three Components (Resin, Hardener & Filler)	1, 5 & 20 kg	1 year

# CLIPPER GLITTER

• Silver, Gold, Copper & Rainbow

Admixture For Sparkling Joints

**Clipper Glitter** is a special admixture to be mixed with Clipper Clippoxy for sparkling & shining tile & stone joints. This glitter effect enhances the beauty of the tiling. It is ideal to use for domestic as well as commercial applications.

- Add with Clipper Clippoxy For Sparkling Joints • In Internal & External Areas
- Wet & Dry Conditions on Floor & Wall



Get over **100 different sparkle effects** by using the colours in varying combinations.

Colour	Pack Size	Shelf Life
Available in Silver, Gold, Copper & Rainbow colour.	30 g & 150 g	3 years

# CLIPPER CLEAN

• Colour : Blue

Tiles & Sanitaryware Cleaner

**Clipper Clean** is a powerful ceramic surface cleaner & stain remover. It is specially formulated to remove tough stains like salts, minerals, cement & other residual particles from the surface of tiles, wash basin, buckets & floors of kitchen, bathrooms, factories, garages etc.

- Ceramic Surface Cleaner & Tough Stains Remover
- Pre-cleaning of Tile Joints Before Grouting • Routine Cleaning in Diluted State



Coverage	Pack Size	Shelf Life
Depends upon porosity & contamination of substrate.	1 & 5 litre	2 years

# CLIPPER SUPER CLEAN

• Colour : Blue

Acid-Based Tiles & Sanitaryware Cleaner

**Clipper Super Clean** is an acid-based super powerful ceramic surface cleaner & stain remover. It is specially prepared to remove tough stains like salts, minerals, cement & other residual particles from all types of tiles & ceramic surfaces.

- Specialized cleaning in garage, factories and high-traffic areas
- Ceramic Surface Cleaner & Tough Stains Remover • Routine Cleaning in Diluted State



Caution	Pack Size	Shelf Life
Acid-based cleaner, use with proper care & testing.	1 & 5 litre	2 years


# CLIPTITE SUPER

• 2 Components : Resin & Hardener

Standard Setting Epoxy Adhesive

**Clipper Cliptite Super (Resin & Hardener)** is a two component waterproof standard setting epoxy adhesive to easily bond a wide range of materials. It can be applied to bond Stone, Rubber, Wood, Metal, Ceramic, Glass, Concrete & most Plastics.

- Repair & Maintenance • Repair & Maintenance • Industrial Application



Form	Pack Size	Shelf Life
Two Components : Resin & Hardener.	450 g & 1.8 kg	2 years

# CLIPTITE CLEAR



• 2 Components : Resin & Hardener

Fast Setting Transparent Epoxy Adhesive

**Clipper Cliptite Clear (Resin & Hardener)** is a two component high strength transparent fast setting epoxy adhesive to easily bond a wide range of materials in just 5 minutes. It can be applied to bond Glass, Ceramic, Jewellery, Handicraft, Metals, Marble, Granite & other Stones.

• Repair & Maintenance • Repair & Maintenance • Industrial Application



Coverage	Pack Size	Shelf Life
Two Components : Resin & Hardener.	500 g & 2 kg	2 years

# CLIPTITE FAST

• 2 Components : Resin & Hardener

High Strength Fast Setting Epoxy Adhesive

**Clipper Cliptite Fast (Resin & Hardener)** is a two component high strength fast setting epoxy adhesive to easily bond a wide range of similar and dissimilar substrates likes Marble, Rubber, Wood, Metal, Ceramic, Glass & most Plastics etc.

• Repair & Maintenance • Repair & Maintenance • Industrial Application



Coverage	Pack Size	Shelf Life
Two Components : Resin & Hardener.	500 g & 2 kg	1.5 years


# TILE SPACER

• Colour : White / Yellow

Uniform Gap Between Tiles

**Clipper Tile Spacer** is specially designed to create a uniform gap between tiles. It is used for quick, easy and accurate tile alignment. It is suitable for all types of tiles on floor and wall and available in 2 mm - 6 mm thickness.

• All Types of Tile & Stone on Floor & Wall • Easy & Accurate Tile Alignment  
• Available in 2 mm - 6 mm thickness



Available Size	Pack Size	Colour
2 mm, 3 mm, 4 mm, 5 mm & 6 mm.	100 spacers / pack	White / Yellow

# CLIPPER



## Clipper Construction Chemicals Pvt. Ltd. (An ISO 9001:2015 Certified Company)

200/2, Bhawrasla, Sanwer Road, Indore,  
Madhya Pradesh - 453555 INDIA

 **62 62 055 055**

**Email:** [info@clipperchemicals.com](mailto:info@clipperchemicals.com)

**Website:** [www.clipperchemicals.com](http://www.clipperchemicals.com)

 /ClipperChemicals

 /ClipperChemicals

 /ClipperChemical

 /company/Clipper-Chemicals

 /ClipperChemicals

